STRUTTURA / *FRAME*



Rosone bronzo spazzolato
Satin bronze canopy

DIFFUSORE */ DIFFUSER*



Anello grande in legno bronzo scuro
Larger ring in dark bronze painted wood



Anelli piccoli in legno bronzo chiaro
Smaller rings in light bronze painted wood



Dischi in alicrite effetto alabastro
Alicrite diffusing discs with alabaster effect

FONTE LUMINOSA / *LIGHT SOURCE*

220-240V

Panel LED

1 x 17W
Panel LED
Emissione / Light emission: 1.430 Lm
+
1 x 28W
Panel LED
Emissione / Light emission: 2.270 Lm
IP20

Dimmerazione a taglio di fase/Triac - altri sistemi di dimmerazione (DALI e 1-10V) disponibili su richiesta

Phase cut dimming/Triac - alternative dimming systems (DALI and 1-10V) available on demand


CE


110V


Panel LED

1 x 17W
Panel LED
Light emission: 1.430 Lm
+
1 x 28W
Panel LED
Light emission: 2.270 Lm
IP20

Phase cut dimming/Triac - 1-10V dimming systems







PRDOTTO / *PRODUCT*	IMBALLI / *PACKAGING*
Peso-Weight	**Box 1**
18 kg / 39.7 lbs	L: 1225 mm / 48”
	P-W: 205 mm / 7.8”
	H: 1225 mm / 48”
	Peso-Weight: 21.5 kg / 47.4 lbs

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means,
whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the
above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts
all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl
ITALY HEADQUARTERS
www.contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc
USA BRANCH
www.contardi-usa.com / office@contardi-usa.com

contardi