STRUTTURA / *FRAME*

Gabbia in metallo verniciato bronzo
Cage in bronze painted metal


Base in legno marino marrone scuro con trattamento cataforesi
Dark brown marine wood with waterproof treatment for the base

DIFFUSORE / *DIFFUSER*


Vetroresina crema
Cream-coloured fiberglass

ACCESSORI / *ACCESSORIES*


Piastra da terra
Ground plate



Gancio per piantana
Hook for floor



Gancio da parete
Hook for wall



ISTRUZIONI PER L'USO

VERSIONE CABLATA
fornita solo con connettore IP68. In caso di collegamento con spina, il grado di protezione passa da IP65 a IP44.

VERSIONE BATTERIA
La luce lampeggiante all'interno della lampada indica che la lampada è completamente scarica.
Collegare la spina all'impianto elettrico per caricare la lampada e/o il corpo batteria. Controllare che lo spinotto sia inserito correttamente nella presa.
Lasciare in carica per circa 4 ore (12 ore al primo utilizzo) con la lampada SPENTA.
Se si prevede di non utilizzare la lampada per un lungo tempo è NECESSARIO effettuare un ciclo di carica completo prima di riporla per evitare che la batteria si danneggi in quanto dotata di sistema di autoconsumo in mancanza di utilizzo. Al riutilizzo si dovrà procedere con una nuova ricarica della batteria (12 ore) prima dell'accensione.

INSTRUCTIONS FOR USE

WIRED VERSION
supplied only with IP68 connector. In case of connection with a plug, the degree of protection changes from IP65 to IP44.

BATTERY VERSION
The flashing light inside the lamp indicates that the battery is completely discharged.
Connect the plug to the electrical system to charge the lamp and/or the battery body.
Check that the plug is inserted correctly into the socket.
Leave to charge for about 4 hours (12 hours for first use) with the lamp OFF.
If you do not plan to use the lamp for a long time, it MUST be completely charged before storing it; this prevents damage to the battery, as it is equipped with a self-consumption system in the absence of use. When re-used, the battery must be recharged again (for 12 hours) before switching on.

CAVO / *CABLE*

Cavo nero
Black cable

Connettore IP68 per esterni
IP68 outdoor connector

L: 2000 mm
L: 78.7”



FONTE LUMINOSA / *LIGHT SOURCE*

220-240V

Versione CABLATA
WIRED version

E27 LED

1 x 10W E27
Lampadina LED
LED light bulb
IP65

Fornito con connettore da esterno IP68
Compatibile con sistemi di controllo
remoto in caso di utilizzo di lampadine
LED dimmerabili

IP68 outdoor connector
Compatible with remote control systems
when dimmable LED bulbs are used



Versione BATTERIA
BATTERY version

Custom LED

1 x 3W
Custom LED
Emissione / Light emission: 400 Lm
2.700 K; CRI: >90
IP65

Autonomia: 6/8 ore
Cicli di vita: 600
Tempi di ricarica: 4 ore
Caricabatterie comprensivo
di alimentatore fornito

Autonomy: 6/8 hours
Lifestyle cycles: 600
Charging time: about 4 hours
Supplied with battery charger



Freedom Outdoor


110V

WIRED version

E27 LED

1 x 10W E27
LED light bulb
IP65

IP68 outdoor connector
Compatible with remote control systems
when dimmable LED bulbs are used




BATTERY version


Custom LED

1 x 3W
Custom LED
Light emission: 400 Lm
2.700 K; CRI: >90
IP65


Autonomy: 6/8 hours
Lifestyle cycles: 600
Charging time: about 4 hours
Supplied with battery charger









PRODOTTO / *PRODUCT*	IMBALLI / *PACKAGING*
Peso-Weight	**Box 1**
4 kg / 8.8 lbs	L: 400 mm / 15.8”
	P-W: 400 mm / 15.8”
	H: 600 mm / 23.6”
	Peso-Weight: 5 kg / 11 lbs




PRODOTTO / *PRODUCT*	IMBALLI / *PACKAGING*
Peso-Weight	**Box 1**
4 kg / 8.8 lbs	L: 400 mm / 15.8”
	P-W: 400 mm / 15.8”
	H: 600 mm / 23.6”
	Peso-Weight: 5 kg / 11 lbs




PRODOTTO / *PRODUCT*	**IMBALLI / *PACKAGING***
Peso-Weight	**Box 1**
1 kg / 2.2 lbs	L: 270 mm / 10.6”
	P-W: 270 mm / 10.6”
	H: 290 mm / 11.4”
	Peso-Weight: 1.5 kg / 3.3 lbs



PRODOTTO / *PRODUCT*	**IMBALLI / *PACKAGING***	
Peso-Weight	**Box 1**	**Box 2**
14 kg / 30.9 lbs	L: 440 mm / 17.3”	L: 430 mm / 16.9”
	P-W: 230 mm / 9”	P-W: 430 mm / 16.9”
	H: 1650 mm / 64.9”	H: 170 mm / 6.7”
	Peso-WEIGHT: 6 kg / 13.2 lbs	Peso-Weight: 11 kg / 24.2 lbs





PRODOTTO / *PRODUCT*	**IMBALLI / *PACKAGING***
Peso-Weight	**Box 1**
2 kg / 4.4 lbs	L: 230 mm / 9”
	P-W: 370 mm / 14.5”
	H: 230 mm / 9”
	Peso-Weight: 3 kg / 6.6 lbs

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means,
whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the
above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts
all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl
ITALY HEADQUARTERS
www.contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc
USA BRANCH
www.contardi-usa.com / sales@contardi-usa.com

contardi